

Distal Fibula Variable-Angle Locking Plates



PERI-LOC[◇] VLP Locked Plating System

Indications

The PERI-LOC VLP Distal Fibula Plates are indicated for the treatment of fractures of the distal fibula.

The PERI-LOC VLP 3.5mm One-Third Tubular Locking Plates are indicated for the treatment of fractures, non-unions, and osteotomies of the medial malleolus, fibula, distal ulna, olecranon, calcaneus and metatarsals.



Contraindications

The PERI-LOC VLP Distal Fibula Plates are contraindicated for fractures with extreme metaphyseal comminution or dissociation of the articular segment from the shaft.

Design Features and Benefits


Polyaxial Locking Plate

Each PERI-LOC VLP screw hole contains five separate tabs that engage with the threads of the locking screw head to form a fixed angle construct. Locking screws can be angled and locked up to 15° in any direction allowing for the creation of customised, multi-directional locked plating constructs. Each screw hole accepts 3.5mm Cortex, 3.5mm Locking and/or 5.0mm Osteopenia Screws.




Low Profile Implants

The profile of the PERI-LOC VLP locking plate is designed to ensure low profile fracture fixation in areas of minimal soft tissue coverage such as periarticular zones. All screws in the PERI-LOC VLP Locked Plating System have a low head profile to further reduce the potential for soft tissue irritation in these sensitive areas.



Optimal Plate Contour

The optimised contour of the PERI-LOC[®] VLP locking plate facilitates both fracture reduction and stabilisation as it is compressed to bone. This “compression contouring” feature is essential to the implant’s ability to resist torque and bending during fracture healing. Once securely fixed in place, the plate produces a constant buttress effect to the fracture site to prevent loss of reduction and to enhance overall fracture fixation.



Implant Features

3.5mm Lateral Distal Fibula Locking Plate

- Distal screw cluster and low plate profile provide stable periarticular fixation
- 2.0mm – 1.7mm proximal to distal plate thickness transition
- Left and right specific



3.5mm Posterolateral Distal Fibula Locking Plate

- Scalloped for syndesmotomic screw placement outside the plate without compromising plate position
- 1.5mm – 0.9mm proximal to distal plate thickness transition
- Left and right specific
- 8° distal helical twist to accommodate the posterolateral anatomy of the distal fibula
- Rounded distal edge to minimise peroneal nerve irritation



3.5mm One-Third Locking Tubular Plate

- Low-profile buttress plate for fractures of the distal fibula
- Consistent 1.5mm plate thickness



Catalogue Information

Cat. No.	Description
7280-0805	PERI-LOC [®] VLP 3.5mm Posterolateral Distal Fibula Locking Plate, 5 Hole Left 62mm
7280-0806	PERI-LOC VLP 3.5mm Posterolateral Distal Fibula Locking Plate, 6 Hole Left 74mm
7280-0807	PERI-LOC VLP 3.5mm Posterolateral Distal Fibula Locking Plate, 7 Hole Left 86mm
7280-0905	PERI-LOC VLP 3.5mm Posterolateral Distal Fibula Locking Plate, 5 Hole Right 62mm
7280-0906	PERI-LOC VLP 3.5mm Posterolateral Distal Fibula Locking Plate, 6 Hole Right 74mm
7280-0907	PERI-LOC VLP 3.5mm Posterolateral Distal Fibula Locking Plate, 7 Hole Right 86mm
<hr/>	
7280-1003	PERI-LOC VLP 3.5mm Lateral Distal Fibula Locking Plate 3 Hole Left 59mm
7280-1004	PERI-LOC VLP 3.5mm Lateral Distal Fibula Locking Plate 4 Hole Left 71mm
7280-1005	PERI-LOC VLP 3.5mm Lateral Distal Fibula Locking Plate 5 Hole Left 83mm
7280-1007	PERI-LOC VLP 3.5mm Lateral Distal Fibula Locking Plate 7 Hole Left 107mm
7280-1009	PERI-LOC VLP 3.5mm Lateral Distal Fibula Locking Plate 9 Hole Left 131mm
7280-1011	PERI-LOC VLP 3.5mm Lateral Distal Fibula Locking Plate 11 Hole Left 155mm
7280-2003	PERI-LOC VLP 3.5mm Lateral Distal Fibula Locking Plate 3 Hole Right 59mm
7280-2004	PERI-LOC VLP 3.5mm Lateral Distal Fibula Locking Plate 4 Hole Right 71mm
7280-2005	PERI-LOC VLP 3.5mm Lateral Distal Fibula Locking Plate 5 Hole Right 83mm
7280-2007	PERI-LOC VLP 3.5mm Lateral Distal Fibula Locking Plate 7 Hole Right 107mm
7280-2009	PERI-LOC VLP 3.5mm Lateral Distal Fibula Locking Plate 9 Hole Right 131mm
7280-2011	PERI-LOC VLP 3.5mm Lateral Distal Fibula Locking Plate 11 Hole Right 155mm
<hr/>	
7280-3005	PERI-LOC VLP 3.5mm One-Third Tubular Locking Plate 5 Hole 62mm
7280-3006	PERI-LOC VLP 3.5mm One-Third Tubular Locking Plate 6 Hole 74mm
7280-3007	PERI-LOC VLP 3.5mm One-Third Tubular Locking Plate 7 Hole 86mm
7280-3008	PERI-LOC VLP 3.5mm One-Third Tubular Locking Plate 8 Hole 98mm
7280-3010	PERI-LOC VLP 3.5mm One-Third Tubular Locking Plate 10 hole 122mm
7280-3012	PERI-LOC VLP 3.5mm One-Third Tubular Locking Plate 12 Hole 146mm

Orthopaedic Trauma & Clinical Therapies

Smith & Nephew, Inc.
1450 Brooks Road
Memphis, TN 38116
USA

www.smith-nephew.com

Telephone: 1-901-396-2121
Information: 1-800-821-5700
Orders/Inquiries: 1-800-238-7538